| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| S1 | 1041 | (375/229).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/22 16:32 |
| S2 | 6 | ("4266204" "5305350" "5576756"). PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/21 09:01 |
| S3 | 2 | ("4,081,756").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF. | 2007/05/22 14:38 |
| S4 | 3 | (differential near3 equalizer) same ("uptilt" or "up-tilt" or (slope near2 (up or upward))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:41 |
| S5 | 4 | (differential near3 equalizer) and ("uptilt" or "up-tilt" or (slope near2 (up or upward))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:41 |
| S6 | 388 | (differential near3 equalizer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:27 |
| S7 | 313 | S6 and @pd<"20040416" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:27 |
| S8 | 5 | S7 and (resona\$4) and (impedance near2 match\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:43 |

| | | | Г | , | | |
|-----|-----|--|---|------|------|------------------|
| S9 | 170 | (differential adj3 equalizer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:49 |
| S10 | 144 | S9 and @pd<"20040416" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:01 |
| S11 | 0 | S10 and (amplitude near3 (response or shap\$3)) and (resona\$4) and (impedance near3 match\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON - | 2007/05/22 14:52 |
| S12 | 1 | S10 and (resona\$4) and (impedance near3 match\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:55 |
| S13 | 0 | S10 and (amplitude near3 (response or shap\$3)) and (resona\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2007/05/22 14:52 |
| S14 | 5 | S10 and (frequency near3 (response or shap\$3)) and (resona\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:53 |
| S15 | 2 | ("4,852,176,").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/22 14:53 |
| S16 | 7 | S10 and (resona\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 14:59 |

| S17 | 27 | S10 and (resona\$4 or tune\$2 or tunable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 15:00 |
|-----|------|--|---|----|----|------------------|
| S18 | 1 | (US-6150875-\$).did. | USPAT | OR | ON | 2007/05/22 15:04 |
| S19 | 8 | S17 and (low adj2 pass) and (high adj2 pass) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 15:13 |
| S20 | 17 | S10 and (low adj2 pass) and (high adj2 pass) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 15:13 |
| S21 | 1 | (US-5809072-\$).did. | USPAT | OR | ON | 2007/05/22 15:20 |
| S22 | 1 | (US-6150875-\$).did. | USPAT | OR | ON | 2007/05/22 15:55 |
| S23 | 15 | S10 and (impedance adj2 match\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:00 |
| S24 | 1 | (US-4609887-\$).did. | USPAT | OR | ON | 2007/05/22 15:58 |
| S25 | 2 | (US-4609887-\$ or US-6150875-\$). did. | USPAT | OR | ON | 2007/05/22 16:00 |
| S26 | 0 | S25 and (floating near2 ground) | USPAT | OR | ON | 2007/05/22 16:00 |
| S27 | 0 | S10 and (floating near2 ground) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:01 |
| S28 | 3674 | (floating near2 ground) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:01 |
| S29 | 334 | S28 and (differential near2 amplifier) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:01 |

| | | | T | | · | Y |
|-----|-----|--|---|------|----|------------------|
| S30 | 264 | S29 and @pd<"20040416" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/05/22 16:09 |
| S31 | 0 | S30 and (differential adj2 equalizer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:02 |
| S32 | 264 | S30 and (differential) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:02 |
| S33 | 8 | S32 and (equalizat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:04 |
| S34 | 135 | S32 and "floating ground" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:10 |
| S35 | 7 | S34 and (equalizat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:09 |
| S36 | 359 | (floating adj ground) and differential | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:09 |
| S37 | 281 | S36 and @pd<"20040416" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:09 |

| S38 | 125 | S37 and (differential adj amplifier) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:10 |
|-----|------|--|---|----|-----|------------------|
| S39 | 125 | S38 and "floating ground" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:16 |
| S40 | 0 | S39 and (differential near2 equaliz\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:15 |
| S41 | 35 | S39 and (differential with (floating)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:17 |
| S42 | 13 | S39 and (differential near6 (floating)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:17 |
| S43 | 1 | (US-5427111-\$).did. | USPAT | OR | ON | 2007/05/22 16:20 |
| S44 | 4076 | ((600/508) or (327/552) or (375/229) or (330/304)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/22 16:27 |
| S45 | 37 | (differential near3 equalizer) and S44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:27 |
| S46 | 28 | S45 and @pd<"20040416" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:27 |

| S47 | 6 | (("6888169") or ("6433642 <u>"</u>) or ("4266204")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | OFF | 2007/05/22 16:32 |
|-----|----|---|---|------|------|------------------|
| S48 | 3 | (US-4266204-\$ or US-6433642-\$ or US-6888169-\$).did. | USPAT | OR | ON | 2007/05/22 16:33 |
| S49 | 0 | ("DE3542655").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/22 16:35 |
| S50 | 0 | DE3542655 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:35 |
| S51 | 28 | "3542655" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/22 16:35 |
| S52 | 0 | S51 and @py="1997" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:35 |



de BROWSE SEARCH IEEE XPLORE GUIDE

Results for "(((differential <near/2> equalizer)<in>metadata)) <and> (pyr >= 1950 <and>..."
Your search matched 33 of 1574558 documents.

⊠ e-mail

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

» Key

Indicates full text access

IEEE JNL IEEE Journal or

Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

(((differential <near/2> equalizer)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2

Search.

Check to search only within this results set

view selected items | Select All Deselect All

1. IF Variable Equalizers for FM Microwave Radio Links

Shiki, H.; Koyama, K.; Kurokawa, T.;

Communications, IEEE Transactions on [legacy, pre - 1988]

Volume 22, Issue 7, Jul 1974 Page(s):941 - 951

Abstract | Full Text: PDF(992 KB) | IEEE JNL

Rights and Permissions

2. IF variable equalizers for FM microwave radio links

Shiki, H.; Koyama, K.; Kurokawa, T.;

Circuits and Systems, IEEE Transactions on

Volume 21, Issue 4, Jul 1974 Page(s):517 - 527

Abstract | Full Text: PDF(1168 KB) | IEEE JNL

Rights and Permissions

3. Variable equalizer with differential amplifiers

Shida, S.; Suzuki, K.;

Circuits and Systems, IEEE Transactions on

Volume 24, Issue 6, Jun 1977 Page(s):318 - 320

Abstract | Full Text: PDF(288 KB) IEEE JNL

Rights and Permissions

4. High-speed architectures for algorithms with quantizer loops

Parhi, K.K.;

Circuits and Systems, 1990., IEEE International Symposium on

1-3 May 1990 Page(s):2357 - 2360 vol.3

Digital Object Identifier 10.1109/ISCAS.1990.112483

Abstract | Full Text: PDF(320 KB) | IEEE CNF

Rights and Permissions

5. Adaptive equalization of frequency selective indoor wireless communicat

Xuan Chen; Chouinard, J.Y.;

Electrical and Computer Engineering, 1994. Conference Proceedings. 1994 Ca

Conference on

25-28 Sept. 1994 Page(s):226 - 229 vol.1

Digital Object Identifier 10.1109/CCECE.1994.405730

Abstract | Full Text: PDF(268 KB) | IEEE CNF

Rights and Permissions

6. Channel precoding using phase distortion for slowly fading channels

Zhuang, W.; Huang, V.;

Electrical and Computer Engineering, 1994. Conference Proceedings. 1994 Ca Conference on

25-28 Sept. 1994 Page(s):234 - 237 vol.1

Digital Object Identifier 10.1109/CCECE.1994.405732

Abstract | Full Text: PDF(268 KB) | IEEE CNF

Rights and Permissions .

7. Nonlinear equalization of multipath fading channels with noncoherent de

Masoomzadeh-Fard, A.; Pasupathy, S.;

Selected Areas in Communications, IEEE Journal on

Volume 14, Issue 3, April 1996 Page(s):512 - 520

Digital Object Identifier 10.1109/49.490236

Abstract | Full Text: PDF(840 KB) | IEEE JNL

Rights and Permissions

8. Decision feedback demodulation-based adaptive linear equalisers for diff

coherent DPSK systems

Dhong-Woon Jang; Sang-Kyun Oh; Yong-Hoon Lee;

Electronics Letters

Volume 32, Issue 20, 26 Sept. 1996 Page(s):1851 - 1852

Abstract | Full Text: PDF(212 KB) | IET JNL

9. Simulations of the DECT receiver with the decision feedback equaliser

Laurila, J.; Mattila, J.; Haggman, S.-G.;

Vehicular Technology Conference, 1996. 'Mobile Technology for the Human R

Volume 2, 28 April-1 May 1996 Page(s):711 - 715 vol.2

Digital Object Identifier 10.1109/VETEC.1996.501404

Abstract | Full Text: PDF(352 KB) | IEEE CNF

Rights and Permissions

10. Two correction schemes for the minimization of the severe non-linear dis introduced by an ADPCM link

Jimaa, S.; Woodward, B.;

Electronics, Circuits, and Systems, 1996. ICECS '96., Proceedings of the Third

International Conference on

Volume 1, 13-16 Oct. 1996 Page(s):315 - 318 vol.1

Digital Object Identifier 10.1109/ICECS.1996.582814

Abstract | Full Text: PDF(300 KB) | IEEE CNF

Rights and Permissions

11. Combined equalization and differential detection using precoding

Masoomzadeh-Fard, A.; Pasupathy, S.;

Vehicular Technology Conference, 1996. 'Mobile Technology for the Human R

Volume 1, 28 April-1 May 1996 Page(s):76 - 80 vol.1

Digital Object Identifier 10.1109/VETEC.1996.503411

Abstract | Full Text: PDF(408 KB) IEEE CNF

Rights and Permissions

12. Non iterative channel estimation and equalisation strategy for burst π/4 I transmission

Chitamu, P.J.; Mgombelo, H.R.;

AFRICON, 1996., IEEE AFRICON 4th

Volume 1, 24-27 Sept. 1996 Page(s):392 - 396 vol.1

Digital Object Identifier 10.1109/AFRCON.1996.563144

Abstract | Full Text: PDF(380 KB) | IEEE CNF

Rights and Permissions

13. Combined equalization and differential detection using precoding ... Masoomzadeh-Fard, A.; Pasupathy, S.; Communications, IEEE Transactions on Volume 45, Issue 3, March 1997 Page(s):274 - 278 Digital Object Identifier 10.1109/26.558681 Abstract | Full Text: PDF(108 KB) | IEEE JNL Rights and Permissions 14. Decision feedback-based demodulation and adaptive equalization for do Dhong Woon Jang; Yong Hoon Lee; Universal Personal Communications Record, 1997. Conference Record., 1997 International Conference on 12-16 Oct. 1997 Page(s):89 - 93 vol.1 Digital Object Identifier 10.1109/ICUPC.1997.625487 Abstract | Full Text: PDF(808 KB) | IEEE CNF Rights and Permissions 15. Frequency-offset invariant equaliser for broadband wireless networks Jones, A.E.; Perry, R.; Personal, Indoor and Mobile Radio Communications, 1998. The Ninth IEEE In Symposium on Volume 1, 8-11 Sept. 1998 Page(s):33 - 37 vol.1 Digital Object Identifier 10.1109/PIMRC.1998.733506 Abstract | Full Text: PDF(420 KB) | IEEE CNF Rights and Permissions 16. Link reliability for IS-54/136 handsets with different receiver structures Bahai, A.; Clark, M.V.; Erceg, V.; Greenstein, L.J.; Kasturia, S.; Vehicular Technology, IEEE Transactions on Volume 48, Issue 1, Jan. 1999 Page(s):213 - 223 Digital Object Identifier 10.1109/25.740096 Abstract | Full Text: PDF(296 KB) | IEEE JNL Rights and Permissions 17. Noncoherent adaptive linear MMSE equalisation for 16DAPSK signals Schober, R.; Gerstacker, W.H.; **Electronics Letters** Volume 35, Issue 23, 11 Nov. 1999 Page(s):2006 - 2008 Digital Object Identifier 10.1049/el:19991348 Abstract | Full Text: PDF(332 KB) | IET JNL 18. Combined carrier phase tracking and equalization for π/4-DQPSK signals Ten-Szu Chen; Der-Zheng Liu; Che-Ho Wei; Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE Interna Volume 3, 30 May-2 June 1999 Page(s):82 - 85 vol.3 Digital Object Identifier 10.1109/ISCAS.1999.778790 Abstract | Full Text: PDF(244 KB) | IEEE CNF Rights and Permissions 19. Decision-feedback differential detection for 16DAPSK transmitted over R 1 channels Gerstacker, W.H.; Schober, R.; Huber, J.B.; Vehicular Technology Conference, 1999. VTC 1999 - Fall, IEEE VTS 50th Volume 5, 19-22 Sept. 1999 Page(s):2515 - 2519 vol.5 Digital Object Identifier 10.1109/VETECF.1999.800137 Abstract | Full Text: PDF(448 KB) | IEEE CNF

Rights and Permissions

20. Adaptive noncoherent DFE for MDPSK signals transmitted over ISI chans

Schober, R.; Gerstacker, W.H.;

Communications, IEEE Transactions on

Volume 48, Issue 7, July 2000 Page(s):1128 - 1140

Digital Object Identifier 10.1109/26.855520

Abstract | Full Text: PDF(364 KB) | IEEE JNL

Rights and Permissions

21. Adaptive linear equalization combined with noncoherent detection for MI

Schober, R.; Gerstacker, W.H.; Huber, J.B.;

Communications, IEEE Transactions on

Volume 48, Issue 5, May 2000 Page(s):733 - 738

Digital Object Identifier 10.1109/26.843181

Abstract | Full Text: PDF(224 KB) | IEEE JNL

Rights and Permissions

22. PMD mitigation at 10 Gbit/s using linear and nonlinear integrated electron circuits

Bulow, H.; Buchali, F.; Baumert, W.; Ballentin, R.; Wehren, T.;

Electronics Letters

Volume 36, Issue 2, 20 Jan. 2000 Page(s):163 - 164

Digital Object Identifier 10.1049/el:20000175

Abstract | Full Text: PDF(132 KB) | IET JNL

23. Blind decision feedback equalization of time-varying channels with DPSF

Bai, E.; Ding, Z.;

Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEE

Symposium on

Volume 2, 28-31 May 2000 Page(s):96 - 99 vol.2

Digital Object Identifier 10.1109/ISCAS.2000.856267

Abstract | Full Text: PDF(284 KB) | IEEE CNF

Rights and Permissions

24. Blind decision feedback equalization of time-varying channels with DPSF

Er-Wei Bai; Zhi Ding;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions on [see also Acoustics | Speech, and Signal Processing | IEEE Transactions | IEEE Transact

IEEE Transactions on]

Volume 49, Issue 7, July 2001 Page(s):1533 - 1542

Digital Object Identifier 10.1109/78.928706

Abstract | Full Text: PDF(324 KB) IEEE JNL

Rights and Permissions

25. Blind equalization with iterative joint channel and data estimation for wire systems

Xiao-ming Chen; Hoeher, P.A.;

Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE

Volume 1, 25-29 Nov. 2001 Page(s):274 - 279 vol.1

Digital Object Identifier 10.1109/GLOCOM.2001.965122

Abstract | Full Text: PDF(624 KB) | IEEE CNF

Rights and Permissions

26. Channel estimation techniques based on pilot arrangement in OFDM sys

Coleri, S.; Ergen, M.; Puri, A.; Bahai, A.;

Broadcasting, IEEE Transactions on

Volume 48, Issue 3, Sept. 2002 Page(s):223 - 229

Digital Object Identifier 10.1109/TBC.2002.804034

Abstract | Full Text: PDF(282 KB) | IEEE JNL

Rights and Permissions

27. Diversity transform for decision-feedback differential detection of N-DPS correlated Rayleigh fading channel

Fuh-Hsin Hwang; Char-Dir Chung;

Communications, Circuits and Systems and West Sino Expositions, IEEE 200; Conference on

Volume 1, 29 June-1 July 2002 Page(s):391 - 394 vol.1

Abstract | Full Text: PDF(290 KB) | IEEE CNF

Rights and Permissions

28. High data rate MDPSK receiver architecture for indoor wireless application

Poh, B.K.; Phang, P.C.;

Personal, Indoor and Mobile Radio Communications, 2002. The 13th IEEE Inte Symposium on

Volume 4, 15-18 Sept. 2002 Page(s):1718 - 1721 vol.4

Abstract | Full Text: PDF(350 KB) | IEEE CNF

Rights and Permissions

29. Noncoherent space-time equalization

Schober, R.; Pasupathy, S.;

Wireless Communications, IEEE Transactions on

Volume 2, Issue 3, May 2003 Page(s):537 - 548

Digital Object Identifier 10.1109/TWC.2003.811185

Abstract | Full Text: PDF(971 KB) | IEEE JNL

Rights and Permissions

30. Multilevel signaling and equalization over multimode fiber at 10 Gbit/s

Pelard, C.; Gebara, E.; Kim, A.J.; Vrazel, M.; Peddi, E.J.; Hietala, V.M.; Bajeka Laskar, J.;

Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 2003. 25th Annual 2003. IEEE

2003 Page(s):197 - 199

Digital Object Identifier 10.1109/GAAS.2003.1252393

Abstract | Full Text: PDF(356 KB) | IEEE CNF

Rights and Permissions

31. Performance of electrical equalizers in optically amplified OOK and DPSI

Jin Wang; J.M. Kahn;

Photonics Technology Letters, IEEE

Volume 16, Issue 5, May 2004 Page(s):1397 - 1399

Digital Object Identifier 10.1109/LPT.2004.826222

Abstract | Full Text: PDF(143 KB) | IEEE JNL

Rights and Permissions

32. A Gm-C bump equalizer for low-voltage low-power applications

Galembeck, R.; de Lima, J.A.; Schneider, M.C.;

Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International

Volume 1, 23-26 May 2004 Page(s):I - 797-800 Vol.1

Digital Object Identifier 10.1109/ISCAS.2004.1328315

Abstract | Full Text: PDF(748 KB) | IEEE CNF

Rights and Permissions

33. Adaptive digital equalization in the presence of chromatic dispersion, PN noise in coherent fiber optic systems

Crivelli, D.E.; Carter, H.S.; Hueda, M.R.;

Global Telecommunications Conference, 2004. GLOBECOM '04. IEEE

Volume 4, 29 Nov.-3 Dec. 2004 Page(s):2545 - 2551 Vol.4

Digital Object Identifier 10.1109/GLOCOM.2004.1378465

Abstract | Full Text: PDF(581 KB) IEEE CNF Rights and Permissions

Help Contact Us Privacy &:

© Copyright 2006 IEEE -





Welcome United States Patent and Trademark Office

[®]
□
[®]
Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((((differential <near/2> equalizer)<in>metadata)) <and> (pyr >= 1950 <and&..." Your search matched 2 of 33 documents.

⊠ e-mail

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((((differential <near/2> equalizer)<in>metadata)) <and> (pyr >= 1950 <and> pyr <=

Check to search only within this results set

Display Format:

Citation Citation & Abstract

view selected items Select All Deselect All

1. IF Variable Equalizers for FM Microwave Radio Links

Shiki, H.; Koyama, K.; Kurokawa, T.;

Communications, IEEE Transactions on [legacy, pre - 1988]

Volume 22, Issue 7, Jul 1974 Page(s):941 - 951

AbstractPlus | Full Text: PDF(992 KB) IEEE JNL

Rights and Permissions

2. IF variable equalizers for FM microwave radio links

Shiki, H.; Koyama, K.; Kurokawa, T.;

Circuits and Systems, IEEE Transactions on

Volume 21, Issue 4, Jul 1974 Page(s):517 - 527

AbstractPlus | Full Text: PDF(1168 KB) | IEEE JNL

Rights and Permissions

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by inspec'



Welcome United States Patent and Trademark Office

□□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((differential <near/2> amplifier) and ('floating ground'))<in>metadata)) <and>..." Your search matched 0 documents.

⊠ e-mail

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

Modify Search

((((differential <near/2> amplifier) and ('floating ground'))<in>metadata)) <and> (pyr >

» Key

IEEE Journal or

Magazine

IET JNL

IEEE JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Check to search only within this results set

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by inspec'



Welcome United States Patent and Trademark Office

☐ Search Results BROWSE SEARCH

IEEE XPLORE GUIDE

Results for "((('floating ground' and differential)<in>metadata)) <and> (pyr >= 1950 <and>..." Your search matched 1 of 1574558 documents.

⊠e-mail

A maximum of 100 results are displayed, 75 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((('floating ground' and differential)<in>metadata)) <and> (pyr >= 1950 <and> pyr <=

Search

Check to search only within this results set

Display Format:

 Cita

ر view selected items ا

Select All Deselect All

1. Differential SFQ transmission using either inductive or capacitive couplir

Johnson, M.W.; Herr, Q.P.; Durand, D.J.; Abelson, L.A.;

Applied Superconductivity, IEEE Transactions on

Volume 13, Issue 2, Part 1, June 2003 Page(s):507 - 510

Digital Object Identifier 10.1109/TASC.2003.813918

AbstractPlus | References | Full Text: PDF(354 KB) | IEEE JNL

Rights and Permissions

Help Contact Us Privacy & :

© Copyright 2006 IEEE -

Indexed by
Inspec®